



Copper tubular terminal ends- Standard Series- Heavy duty 6 mm² to 400 mm²

- Material** : E-copper DIN EN 13600
Finish : Electro-tinned or uncoated
Features : Available without inspection window part number starting with 'PCLW'
 Available in 45° and 90° barrel orientations
 RoHS compliant

- Notes** : ¹Electrotinned: ending with 'P', uncoated: ending with 'U'
 - for use with copper stranded conductors to DIN 48201 or copper cable conductors to DIN VDE 0295
 Wire sizes from 16mm² to 500mm² are UL listed

| PART NO | CROSS-SECTION MM ² | ØE | ID | W | B | L | PACKING UNITY PCS/BOX |
|------------|-------------------------------|------|-----|----|-----|----|-----------------------|
| PCLV-6-5 | 6 | 5.5 | 3.5 | 10 | 9 | 21 | 100 |
| PCLV-6-6 | | 6.5 | | 12 | 9 | 21 | 100 |
| PCLV-6-8 | | 8.5 | | 15 | 9 | 23 | 100 |
| PCLV-6-10 | | 10.5 | | 17 | 9 | 25 | 100 |
| PCLV-6-12 | | 13 | | 19 | 9 | 28 | 100 |
| PCLV-10-5 | 10 | 5.5 | 4.5 | 12 | 10 | 22 | 100 |
| PCLV-10-6 | | 6.5 | | 12 | 10 | 22 | 100 |
| PCLV-10-8 | | 8.5 | | 15 | 10 | 25 | 100 |
| PCLV-10-10 | | 10.5 | | 17 | 10 | 27 | 100 |
| PCLV-10-12 | | 13 | | 19 | 10 | 29 | 100 |
| PCLV-16-5 | 16 | 5.5 | 5.5 | 12 | 13 | 26 | 100 |
| PCLV-16-6 | | 6.5 | | 12 | 13 | 27 | 100 |
| PCLV-16-8 | | 8.5 | | 15 | 13 | 29 | 100 |
| PCLV-16-10 | | 10.5 | | 17 | 13 | 31 | 100 |
| PCLV-16-12 | | 13 | | 19 | 13 | 33 | 100 |
| PCLV-25-5 | 25 | 5.5 | 7 | 14 | 15 | 30 | 100 |
| PCLV-25-6 | | 6.5 | | 14 | 15 | 30 | 100 |
| PCLV-25-8 | | 8.5 | | 16 | 15 | 32 | 100 |
| PCLV-25-10 | | 10.5 | | 18 | 15 | 34 | 100 |
| PCLV-25-12 | | 13 | | 19 | 15 | 35 | 100 |
| PCLV-25-14 | 15 | 21 | 15 | 38 | 100 | | |
| PCLV-35-6 | 35 | 6.5 | 8.5 | 17 | 17 | 32 | 100 |
| PCLV-35-8 | | 8.5 | | 17 | 17 | 34 | 100 |
| PCLV-35-10 | | 10.5 | | 19 | 17 | 37 | 100 |
| PCLV-35-12 | | 13 | | 21 | 17 | 38 | 100 |
| PCLV-35-14 | | 15 | | 21 | 17 | 40 | 100 |
| PCLV-35-16 | 17 | 26 | 17 | 42 | 100 | | |
| PCLV-50-6 | 50 | 6.5 | 10 | 20 | 19 | 37 | 50 |
| PCLV-50-8 | | 8.5 | | 20 | 19 | 37 | 50 |
| PCLV-50-10 | | 10.5 | | 20 | 19 | 39 | 50 |
| PCLV-50-12 | | 13 | | 23 | 19 | 43 | 50 |
| PCLV-50-14 | | 15 | | 23 | 19 | 45 | 50 |
| PCLV-50-16 | 17 | 28 | 19 | 46 | 50 | | |
| PCLV-50-20 | 21 | 30 | 19 | 48 | 50 | | |

| PART NO | CROSS-SECTION MM ² | ØE | ID | W | B | L | PACKING UNITY PCS/BOX |
|-------------|----------------------------------|------|------|----|----|----|--------------------------|
| PCLV-70-6 | | 6.5 | | 23 | 21 | 43 | 50 |
| PCLV-70-8 | | 8.5 | | 23 | 21 | 43 | 50 |
| PCLV-70-10 | | 10.5 | | 23 | 21 | 44 | 50 |
| PCLV-70-12 | 70 | 13 | 12 | 23 | 21 | 46 | 50 |
| PCLV-70-14 | | 15 | | 23 | 21 | 48 | 50 |
| PCLV-70-16 | | 17 | | 28 | 21 | 50 | 50 |
| PCLV-70-20 | | 21 | | 30 | 21 | 53 | 50 |
| PCLV-95-8 | 95 | 8.5 | | 26 | 25 | 48 | 50 |
| PCLV-95-10 | | 10.5 | | 26 | 25 | 48 | 50 |
| PCLV-95-12 | | 13 | 13.5 | 26 | 25 | 49 | 50 |
| PCLV-95-14 | | 15 | | 26 | 25 | 51 | 50 |
| PCLV-95-16 | | 17 | | 28 | 25 | 54 | 50 |
| PCLV-95-20 | | 21 | | 36 | 25 | 60 | 50 |
| PCLV-120-8 | | 8.5 | | 28 | 26 | 51 | 50 |
| PCLV-120-10 | | 10.5 | | 28 | 26 | 51 | 50 |
| PCLV-120-12 | 120 | 13 | 15 | 28 | 26 | 51 | 50 |
| PCLV-120-14 | | 15 | | 28 | 26 | 52 | 50 |
| PCLV-120-16 | | 17 | | 30 | 26 | 54 | 50 |
| PCLV-120-20 | | 21 | | 36 | 26 | 63 | 50 |
| PCLV-150-8 | | 8.5 | | 31 | 30 | 56 | 10 |
| PCLV-150-10 | | 10.5 | | 31 | 30 | 56 | 10 |
| PCLV-150-12 | 150 | 13 | 16.5 | 31 | 30 | 57 | 10 |
| PCLV-150-14 | | 15 | | 31 | 30 | 57 | 10 |
| PCLV-150-16 | | 17 | | 31 | 30 | 58 | 10 |
| PCLV-150-20 | | 21 | | 36 | 30 | 66 | 10 |
| PCLV-185-10 | | 10.5 | | 35 | 30 | 65 | 10 |
| PCLV-185-12 | | 13 | | 35 | 30 | 65 | 10 |
| PCLV-185-14 | 185 | 15 | 19 | 35 | 30 | 65 | 10 |
| PCLV-185-16 | | 17 | | 35 | 30 | 65 | 10 |
| PCLV-185-20 | | 21 | | 39 | 30 | 69 | 10 |
| PCLV-240-10 | | 10.5 | | 39 | 35 | 72 | 10 |
| PCLV-240-12 | | 13 | | 39 | 35 | 72 | 10 |
| PCLV-240-14 | 240 | 15 | 21 | 39 | 35 | 72 | 10 |
| PCLV-240-16 | | 17 | | 39 | 35 | 72 | 10 |
| PCLV-240-20 | | 21 | | 39 | 35 | 72 | 10 |
| PCLV-300-12 | | 13 | | 43 | 44 | 87 | 5 |
| PCLV-300-14 | 300 | 15 | 23.5 | 43 | 44 | 87 | 5 |
| PCLV-300-16 | | 17 | | 43 | 44 | 87 | 5 |
| PCLV-300-20 | | 21 | | 43 | 44 | 87 | 5 |
| PCLV-400-12 | | 13 | | 49 | 44 | 90 | 5 |
| PCLV-400-14 | 400 | 15 | 27 | 49 | 44 | 90 | 5 |
| PCLV-400-16 | | 17 | | 49 | 44 | 90 | 5 |
| PCLV-400-20 | | 21 | | 49 | 44 | 90 | 5 |